MEDITECH

MEDITECH
TECHNOLOGY

VETERINARY ORTHOPEDIC SYSTEM







MEDITECH

Changzhou Meditech Technology Co., Ltd.

Address: Room 408, Building 5, Science & Education Town, Wujin District,

Changzhou City, Jiangsu Province. China. PC: 213164

Website: www.czmeditech.com

Tel/Fax: +86-519-85855955

www.czmeditech.com

CZMEDITECH

MEDITECH

COMPANY PROFILE


Changzhou Meditech Technology Co.,ltd. is located in Changzhou Science & Education Town, around 200kms from Shanghai. We are specialized in researching, developing, designing, exporting and technical services for veterinary implants and instruments.

After years' research and development, there are 6 main product series and they are veterinary plates and screws (both locking and non-locking), general orthopedic instruments, external fixators, medical power tools, general surgical and dentistry instruments.

By profound understanding of veterinary orthopedic surgery, our company has set up a professional and excellent sales team to help you to solve the difficulties in surgery. Humanized design makes more comfortable operations and improves the efficiency too.

With high-quality standard and strict control, our products have been exported to USA, Germany, Italy, Spain, Mexico, Brazil, Chile, Peru....

Welcome to visit us. We are very willing to share resources and discuss cooperative development with you. Let' s work together and make contribution to pet health.







MEDITECH

CONTENTS

01 SOP / TPL System




06 Locking Plate System



16 Non Locking Plate System



32 Orthopedic Instruments



41 External Fixation System



44 Power Tool System



47 General Surgery Instruments



51 Dental Instruments



2.0mm SOP system



Product Code	Specification	Material
GA0012020	20Holes	Stainless steel
Note: Match with 2.0 locking screw		

2.4mm SOP system



Product Code	Specification	Material
GA0012420	20Holes	Stainless steel
Note: Match with 2.4 locking screw		

2.7mm SOP system



Product Code	Specification	Material
GA0012720	20Holes	Stainless steel
Note: Match with 2.7 locking screw		

TPLO 2.0 curved plate



Product Code	Length / Thickness(mm)	Specification	Material
GA0022001	30/2.3	3+3Holes L	Pure Titanium
GA0022002	30/2.3	3+3Holes R	
Note: Match with 2.0 locking screw and 2.0 cortical screw, photo for the left			

TPLO 2.4 curved plate



Product Code	Length / Thickness(mm)	Specification	Material
GA0022401	35/2.3	3+3Holes L	Pure Titanium
GA0022402	35/2.3	3+3Holes R	
Note: Match with 2.4 locking screw and 2.4 cortical screw, photo for the right			

TPLO 2.7 curved plate



Product Code	Length / Thickness(mm)	Specification	Material
GA0022701	46/2.5	3+3Holes L	Pure Titanium
GA0022702	46/2.5	3+3Holes R	
Note: Match with 2.7 locking screw and 2.7 cortical screw, photo for the left			

TPLO 3.5 curved plate



Product Code	Length / Thickness(mm)	Specification	Material
GA0023501	64/3.7	3+3Holes L	Pure Titanium
GA0023502	64/3.7	3+3Holes R	
Note: Match with 3.5 locking screw and 3.5 cortical screw, photo for the right			

Arthodesis of wrist joint locking plate (Straight type)



Product Code	Length(mm)	Material
GA0032001	68	Pure Titanium
Note: Match with 2.0/2.4 locking screw and 2.0/2.4 cortical screw		

Arthodesis of wrist joint locking plate (Straight type)



Product Code	Length(mm)	Material
GA0032002	82	Pure Titanium
Note: Match with 2.0/2.7 locking screw and 2.0/2.7 cortical screw		

Arthodesis of tarsal joint locking plate (L type)

Product Code	Specification	Material
GA0042001	135° L	Pure Titanium
GA0042002	135° R	
Note: Match with 2.0 locking screw and 2.0 cortical screw, photo for the left		

Arthodesis of tarsal joint locking plate (L type)



Product Code	Specification	Material
GA0042701	135° L	Pure Titanium
GA0042702	135° R	
Note: Match with 2.4/2.7 locking screw and 2.4/2.7 cortical screw, photo for the right		

T type locking plate 2.0



Product Code	Length / Width(mm)	Material
GA00520	50/5.3	Pure Titanium
Note: Match with 2.0 locking screw and 2.0 cortical screw		

T type locking plate 2.4/2.7



Product Code	Length / Width(mm)	Material
GA0052427	55/7	Pure Titanium
Note: Match with 2.4/2.7 locking screw and 2.4/2.7 cortical screw		

2.0 Locking Screw



Product Code	Specification(mm)	Material
GB0012006~GB0012026	2.0×8/10/12/14/16/18/20/22/24/26	Titanium alloy
Note: Match T6 torx screw driver		

2.4 Locking Screw



Product Code	Specification(mm)	Material
GB0012408~GB0012430	2.4×8/10/12/14/16/18/20/22/24/26/28/30	Titanium alloy
Note: Match T8 torx screw driver		

2.7 Locking Screw



Product Code	Specification(mm)	Material
GB0012710~GB0012734	2.7×10/12/14/16/18/20/22/24/26/28/30/32/34	Titanium alloy
Note: Match T8 torx screw driver		

3.5 Locking Screw



Product Code	Specification(mm)	Material
GB0013510~GB0013560	3.5×10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/45/50/55/60	Titanium alloy
Note: Match T15 torx screw driver		

2.0 Cortical Self-Tapping Screw



Product Code	Specification(mm)	Material
GC0012006~GC0012026	2.0×6/7/8/10/12/14/16/18/20/22/24/26	Titanium alloy
Note: Match T6 torx screw driver		

2.4 Cortical Self-Tapping Screw



Product Code	Specification(mm)	Material
GC0012410~GC0012432	2.4×10/12/14/16/18/20/22/24/26/28/30/32	Titanium alloy
Note: Match T6 torx screw driver		

2.7 Cortical Self-Tapping Screw



Product Code	Specification(mm)	Material
GC0012712~GC0012734	2.7×12/14/16/18/20/22/24/26/28/30/32/34	Titanium alloy
Note: Match T8 torx screw driver		

3.5 Cortical Self-Tapping Screw



Product Code	Specification(mm)	Material
GC0013510~GC0013560	3.5×10/12/14/16/18/20/22/24/26/28/30/32/34/36/38/40/45/50/55/60	Titanium alloy
Note: Match T15 torx screw driver		

Locking Drill Guide




Product Code	Specification(mm)
GD00120	2.0mm
GD00124	2.4mm
GD00127	2.7mm
GD00135	3.5mm

Quick coupling screw driver



Product Code	Specification(mm)
GE001	T6
GE002	T8
GE003	T15


2.0/2.4 TPLO Instrument Kit



No.	Product Code	Description	Specification	Quantities
1	A008-01	Drill Bit (AO)	Φ1.5	1
2	A008-02	Drill Bit (AO)	Φ1.8	1
3	A008-03	Locking Drill Guide	1.5mm	1
4	A008-04	Locking Drill Guide	1.8mm	1
5	A008-05	Double Drill Guide	1.5/2.0	1
6	A008-06	Double Drill Guide	1.8/2.4	1
7	A008-07	Torx Head Screw Driver	T6	1
8	A008-08	Torx Head Screw Driver	T8	1
9	A008-09	AO Quick Coupling Handle		1
10	A008-10	Torque limited AO coupling Handle	0.4Nm	1
11	A008-11	Depth Gauge	30mm	1
12	A008-12	Mini TPLO target device	small	1
13	A008-13	Protractor	samll	1
14	A008-14	Screw Sterilization Box		1
15	A008-15	TPLO Plate	2.0mm	2
16	A008-16	TPLO Plate	2.4mm	2
17	A008-17	Tool Box		1
18	A008-18	Positioning pin	2.5*120mm	2


2.7/3.5 TPLO Instrument Kit






No.	Product Code	Description	Specification	Quantities
1	A009-01	Drill Bit (AO)	Φ2.0	1
2	A009-02	Drill Bit (AO)	Φ2.5	1
3	A009-03	Drill Bit (AO)	Φ2.7	1
4	A009-04	Locking Drill Guide	2.0mm	1
5	A009-05	Locking Drill Guide	2.7mm	1
6	A009-06	Double Drill Guide	2.0/2.7	1
7	A009-07	Double Drill Guide	2.5/3.5	1
8	A009-08	Torx Head Screw Driver	T8	1
9	A009-09	Torx Head Screw Driver	T15	1
10	A009-10	AO Quick Coupling Handle		1
11	A009-11	Torque limited AO coupling Handle	0.8Nm	1
12	A009-12	Torque handle	1.5Nm	
13	A009-13	Depth Gauge	60mm	1
14	A009-14	TPLO target device	Large	1
15	A009-15	Protractor		1
16	A009-16	Screw Sterilization Box		1
17	A009-17	TPLO Plate	2.7mm	2
18	A009-18	TPLO Plate	3.5mm	2
19	A009-19	Positioning pin	2.5*120mm	2
20	A009-20	Tool Box		1

1.6mm Reconstruction Locking Plate AA00116




Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0011630	1.2/3.5/135	30Holes	Pure Titanium
AA0011626	1.5/4.2/130	26Holes	
Note: Used with 1.6 locking screw and 1.1 cortical screw			

2.4mm Reconstruction Locking Plate AA00124




Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0012443	1.8/5/236.5	43Holes	Pure Titanium
AA0012434	2/6.5/238	34Holes	
Note: Used with 2.4 locking screw and 1.5 cortical screw			

3.2mm Reconstruction Locking Plate AA00132



Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0013226	2.5/7.5/234	26Holes	Pure Titanium
AA0013222	3/8.5/220	22Holes	
Note: Used with 3.2 locking screw and 2.4 cortical screw			

4.0mm Reconstruction Locking Plate AA00140



Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0014020	3.5/10/240	20Holes	Pure Titanium
AA0014018	4/11.5/234	18Holes	
Note: Used with 4.0 locking screw and 2.7 cortical screw			

1.6mm T Type Locking Plate AA00216



Product Code	Head Width / Width / Length(mm)	Specification	Material
AA0021601	8/3.5/30	2+5Holes	Pure Titanium
AA0021602	9/4.2/33	2+5Holes	
AA0021603	7/4.2/34	3+5Holes	
AA0021604	6.5/3.5/31	3+5Holes	

Note: Used with 1.6 locking screw and 1.1 cortical screw

2.4mm T Type Locking Plate AA00224



Product Code	Head Width / Width / Length(mm)	Specification	Material
AA0022401	11/5/38	2+5Holes	Pure Titanium
AA0022402	13/6.5/48	2+5Holes	
AA0022403	9/5/39	3+5Holes	

Note: Used with 2.4 locking screw and 1.5 cortical screw

3.2mm T Type Locking Plate AA00232



Product Code	Head Width / Width / Length(mm)	Specification	Material
AA0023201	16/7.5/59	2+5Holes	Pure Titanium
AA0023202	19/8.5/68	2+5Holes	

Note: Used with 3.2 locking screw and 2.4 cortical screw

1.1mm T Type Plate(A Series) AA00311



Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0031101	1.0/3/16	2+3Holes	Pure Titanium
AA0031102	1.0/3/20	2+4Holes	
AA0031103	1.0/3/24	2+5Holes	

Note: A series plate head to shaft distance is 4.6mm, used with 1.1mm cortical screw


1.1mm T Type Plate(B Series) AA00411



Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0041101	1.0/3/18	2+3Holes	Pure Titanium
AA0041102	1.0/3/22	2+4Holes	
AA0041103	1.0/3/26	2+5Holes	

Note: B series plate head to shaft distance is 6.6mm, used with 1.1mm cortical screw

1.1mm T Type Plate(C Series) AA00511



Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0051101	1.0/3/21	3+3Holes	Pure Titanium
AA0051102	1.0/3/27	3+4Holes	

Note: C series plate head to shaft distance is 7.4/9.4mm, used with 1.1mm cortical screw

1.1mm Cuttable Plate AA00611



Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0061101	1.0/3/90	30Holes	Pure Titanium
AA0061102	1.0/3/91	23Holes	

Note: Used with 1.1mm cortical screw

1.1mm Reconstruction Cuttable Plate AA00711



Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0071101	1.0/3/90	30Holes	Pure Titanium

Note: Used with 1.1mm cortical screw

1.1mm Neutral Cuttable Plate AA00811



Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0081101	1.0/3/90	27Holes	Pure Titanium
AA0081102	1.0/3/91	20Holes	

Note: Used with 1.1mm cortical screw

CZMEDITECH

1.1mm Double T Cuttable Plate AA00911



Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0091101	1.0/3/90	30Holes	Pure Titanium

Note: Used with 1.1mm cortical screw

1.5mm Double T Cuttable Plate AA01015



Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0101501	1.5/4/148	30Holes	Pure Titanium
AA0101502	1.5/4/148	32Holes	
AA0101503	1.5/4/152	32Holes	

Note: Used with 1.5mm cortical screw

2.0mm Double T Cuttable Plate AA01120



Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0112001	1.8/5/160	29Holes	Pure Titanium
AA0112002	1.8/5/160	31Holes	
AA0112003	1.8/5/164	31Holes	

Note: Used with 2.0mm cortical screw

2.4mm Double T Cuttable Plate AA01224



Product Code	Thickness / Width / Length(mm)	Specification	Material
AA0122401	1.8/5/160	27Holes	Pure Titanium
AA0122402	1.8/5/160	29Holes	
AA0122403	1.8/5/164	29Holes	

Note: Used with 2.4mm cortical screw

1.6mm Locking Screw AA00216



Product Code	Specification(mm)	Material
AA0021604~AA0021610	1.6×4/5/6/7/8/10	Titanium Alloy

Note: Match cross head screw driver, compatible for cortical and cancellous bone

2.4mm Locking Screw AA00224



Product Code	Specification(mm)	Material
AA0022405~AA0022416	2.4×5/6/8/10/12/14/16	Titanium Alloy

Note: Match T6 torx screw driver, compatible for cortical and cancellous bone

3.2mm Locking Screw AA00232



Product Code	Specification(mm)	Material
AA0023206~AA0023220	3.2×6/8/10/12/14/16/18/20	Titanium Alloy

Note: Match T10 torx screw driver ,compatible for cortical and cancellous bone

4.0mm Locking Screw AA00240



Product Code	Specification(mm)	Material
AA0024010~AA0024026	4.0×10/12/14/16/18/20/22/24/26	Titanium Alloy

Note: Match T10 torx screw driver ,compatible for cortical and cancellous bone

1.1mm Cortical Self-Tapping Screw AA00311



Product Code	Specification(mm)	Material
AA0031104~AA0031112	1.1×4/5/6/7/8/9/10/12	Titanium Alloy

Note: Match cross head screw driver, compatible for cortical and cancellous bone

1.5mm Cortical Self-Tapping Screw AA00315



Product Code	Specification(mm)	Material
AA0031506~AA0031526	1.5×6/7/8/10/12/14/16/18/20/22/24/26	Titanium Alloy

Note: Match T6 torx screw driver, compatible for cortical and cancellous bone

2.4mm Cortical Self-Tapping Screw AA00324



Product Code	Specification(mm)	Material
AA0032410~AA0032432	2.4×10/12/14/16/18/20/22/24/26/28/30/32	Titanium Alloy

Note: Match T10 torx screw driver, compatible for cortical and cancellous bone

2.7mm Cortical Self-Tapping Screw AA00327




Product Code	Specification(mm)	Material
AA0032712~AA0032734	2.7×12/14/16/18/20/22/24/26/28/30/32/34	Titanium Alloy

Note: Match T10 torx screw driver, compatible for cortical and cancellous bone

CZMEDITECH

1.6 Locking Plate Instrument Kit(A001)




No.	Product Code	Description	Specification	Quantities
1	A001-01	Drill Bit	Φ0.8mm	1
2	A001-02	Drill Bit	Φ1.1mm	1
3	A001-03	Locking Drill Guide	Φ1.1	1
4	A001-04	Drill Guide	Φ0.8/1.1mm	1
5	A001-05	Cross Head Screw Driver		1
6	A001-06	1.1mm T Type Plate(A series)	2+3/2+4/2+5Holes	3pc:1pc/size
7	A001-07	1.1mm T Type Plate(B series)	2+3/2+4/2+5Holes	3pc:1pc/size
8	A001-08	1.1mm T Type Plate(C series)	3+3/3+4Holes	2pc:1pc/size
9	A001-09	1.1mm Straight Cuttable Plate	30Holes,90mm	1
10	A001-10	1.1mm Straight Cuttable Plate	23Holes,91mm	1
11	A001-11	1.1mm Rescontruction Cuttable Plate	30Holes,90mm	1
12	A001-12	1.1mm Nuetral Cuttable Plate	27Holes,90mm	1
13	A001-13	1.6 Locking Plate	30Holes	1
14	A001-14	1.6 Locking Plate	26Holes	1
15	A001-15	Locking Screw	1.6x4/5/6/7/8/10mm	6pc/size
16	A001-16	Cortical Self Tapping Screw	1.1x4/5/6/7/8/9/10/12mm	6pc/size
17	A001-17	Implants case		1

2.4 Locking Plate Instrument Kit(A002)




No.	Product Code	Description	Specification	Quantities
1	A002-01	Drill Bit (AO)	Φ1.1mm	1
2	A002-02	Drill Bit (AO)	Φ1.5mm	1
3	A002-03	Drill Bit (AO)	Φ1.8mm	1
4	A002-04	Drill Bit Stopper	Φ1.8mm	1
5	A002-05	Drill Bit Stopper Spanner		1
6	A002-06	Locking Drill Guide	Φ1.1mm	1
7	A002-07	Locking Drill Guide	Φ1.8mm	1
8	A002-08	Compression Drill Guide	Φ1.1mm	1
9	A002-09	Drill Guide	Φ1.1/Φ1.5mm	1
10	A002-10	AO Quick Coupling Handle		1
11	A002-11	Depth Gauge	30mm	1
12	A002-12	Screw Holder		1
13	A002-13	AO Quick Coupling Torx Head Screw Driver	T6	1
14	A002-14	Plate Bending Wrench		1
15	A002-15	Implants Box		1
16	A002-16	Tool Box		1

3.2 Locking Plate Instrument Kit(A003)



No.	Product Code	Description	Specification	Quantities
1	A003-01	Drill Bit (AO)	Φ1.8mm	1
2	A003-02	Drill Bit (AO)	Φ2.5mm	1
3	A003-03	Drill Bit Stopper	Φ2.5mm	1
4	A003-04	Drill Bit Stopper Spanner		1
5	A003-05	Locking Drill Guide	Φ1.8mm	1
6	A003-06	Compression Drill Guide	Φ1.8mm	1
7	A003-07	Locking Drill Guide	Φ2.5mm	1
8	A003-08	Drill Guide	Φ1.8/Φ2.5mm	1
9	A003-09	AO Quick Coupling Handle		1
10	A003-10	Depth Gauge	50mm	1
11	A003-11	Screw Holder		1
12	A003-12	Torx Head Screw Driver	T10	1
13	A003-13	Plate Bending Wrench		1
14	A003-14	Implants Box		1
15	A003-15	Tool Box		1

4.0 Locking Plate Instrument Kit(A004)



No.	Product Code	Description	Specification	Quantities
1	A004-01	Drill Bit (AO)	Φ2.0mm	1
2	A004-02	Drill Bit (AO)	Φ2.7mm	1
3	A004-03	Drill Bit (AO)	Φ3.2mm	1
4	A004-04	Drill Bit Stopper	Φ3.2mm	1
5	A004-05	Drill Bit Stopper Spanner		1
6	A004-06	Locking Drill Guide	Φ2.0mm	1
7	A004-07	Locking Drill Guide	Φ3.2mm	1
8	A004-08	Compression Drill Guide	Φ2.0mm	1
9	A004-09	Drill Guide	Φ2.0/Φ2.7mm	1
10	A004-10	AO Quick Coupling Handle		1
11	A004-11	Depth Gauge	60mm	1
12	A004-12	Screw Holder		1
13	A004-13	AO Quick Coupling Torx Head Screw Driver	T10	1
14	A004-14	Plate Bending Wrench		1
15	A004-15	Implants Box		1
16	A004-16	Tool Box		1

CZMEDITECH

2.0mm Straight Locking Plate AB00120



Product Code	Length(mm)	Specification	Material
AB0012004	23.2	4Holes	Pure Titanium
AB0012005	28.5	5Holes	
AB0012006	33.8	6Holes	
AB0012007	39.1	7Holes	
AB0012008	44.4	8Holes	
AB0012009	49.7	9Holes	
AB0012010	55	10Holes	

Note: Select Φ2.0 Locking Screw(Triangle),Φ2.0 Cortical Self Tapping Screw(Triangle) ,photo show 8 holes

2.0mm L Type Straight Locking Plate (L/R) AB00220



Product Code	Length(mm)	Specification	Material
AB0022005L/R	22.5	5 holes L/R	Pure Titanium
AB0022006L/R	27.8	6 holes L/R	
AB0022007L/R	33.1	7 holes L/R	
AB0022008L/R	38.4	8 holes L/R	

Note: Select Φ2.0 Locking Screw(Triangle),Φ2.0 Cortical Self Tapping Screw(Triangle) ,photo show 8 holes

2.0mm Condyle Locking Plate AB00320



Product Code	Length(mm)	Specification	Material
AB0032005	23.1	5 holes	Pure Titanium
AB0032006	28.4	6 holes	
AB0032007	33.7	7 holes	
AB0032008	39	8 holes	
AB0032009	44.3	9 holes	

Note: Select Φ2.0 Locking Screw(Triangle),Φ2.0 Cortical Self Tapping Screw(Triangle) ,photo show 8 holes

2.0mm T Type Locking Plate AB00420



Product Code	Length(mm)	Specification	Material
AB0042005	23.4	5 holes	Pure Titanium
AB0042006	28.7	6 holes	
AB0042007	34	7 holes	
AB0042008	39.3	8 holes	
AB0042009	44.6	9 holes	

Note: Select Φ2.0 Locking Screw(Triangle),Φ2.0 Cortical Self Tapping Screw(Triangle) ,photo show 8 holes

2.5mm Straight Locking Plate AB00525



Product Code	Length(mm)	Specification	Material
AB0052504	30	4 holes	Pure Titanium
AB0052505	37	5 holes	
AB0052506	44	6 holes	
AB0052507	51	7 holes	
AB0052508	58	8 holes	
AB0052509	65	9 holes	
AB0052510	72	10 holes	

Note: Select Φ2.5 Locking Screw,Φ2.5 Cortical Self Tapping Screw ,photo show 10 holes

2.5mm L Type Locking Plate(L/R) AB00625



Product Code	Length(mm)	Specification	Material
AB0062505L/R	29.5	5 holes L/R	Pure Titanium
AB0062506L/R	36.5	6 holes L/R	
AB0062507L/R	43.5	7 holes L/R	
AB0062508L/R	50.5	8 holes L/R	
AB0062509L/R	57.5	9 holes L/R	

Note: Select Φ2.5 Locking Screw,Φ2.5 Cortical Self Tapping Screw,photo show 9 holes

2.5mm Condyle Locking Plate AB00725



Product Code	Length(mm)	Specification	Material
AB0072505	30.5	5 holes	Pure Titanium
AB0072506	37.5	6 holes	
AB0072507	44.5	7 holes	
AB0072508	51.5	8 holes	
AB0072509	58.5	9 holes	

Note: Select Φ2.5 Locking Screw,Φ2.5 Cortical Self Tapping Screw,photo show 9 holes

2.5mm T Type Locking Plate AB00825



Product Code	Length(mm)	Specification	Material
AB0082505	30.5	5 holes	Pure Titanium
AB0082506	37.5	6 holes	
AB0082507	44.5	7 holes	
AB0082508	51.5	8 holes	
AB0082509	58.5	9 holes	

Note: Select Φ2.5 Locking Screw,Φ2.5 Cortical Self Tapping Screw,photo show 9 holes

2.7mm Locking Plate AB00927



Product Code	Length(mm)	Specification	Material
AB0092704	54	4 holes	Pure Titanium
AB0092705	64	5 holes	
AB0092706	74	6 holes	
AB0092707	84	7 holes	
AB0092708	94	8 holes	
AB0092709	104	9 holes	
AB0092710	114	10 holes	

Note: Select Φ2.7 Locking Screw,Φ2.7 Cortical Self Tapping Screw,photo show 7 holes

2.7mm Reconstruction Locking Plate AB01027



Product Code	Length(mm)	Specification	Material
AB0102704	40.5	4 holes	Pure Titanium
AB0102705	50.5	5 holes	
AB0102706	60.5	6 holes	
AB0102707	70.5	7 holes	
AB0102708	80.5	8 holes	
AB0102709	90.5	9 holes	
AB0102710	100.5	10 holes	

Note: Select Φ2.7 Locking Screw,Φ2.7 Cortical Self Tapping Screw,photo show 7 holes

2.0、2.5、2.7mm Locking Screw AC00120、AC00125、AC00127



Product Code	Diameter(mm)	Length(mm)	Material
AC0012006~AC0012022	2.0(Triangle)	6~22 2mm size gap	Titanium Alloy
AC0012506~AC0012530	2.5(Torx)	6~30 2mm size gap	
AC0012706~AC0012730	2.7(Torx)	6~30 2mm size gap	

Note: 2.0 Locking screw match triangle screw driver,2.5/2.7 Locking screw match T2.3 screw driver

2.0、2.5、2.7mm Cortical Self Tapping Screw AD00120、AD00125、AD00127



Product Code	Diameter(mm)	Length(mm)	Material
AD0012006~AD0012022	2.0(Triangle)	6~22 2mm size gap	Titanium Alloy
AD0012506~AD0012530	2.5(Torx)	6~30 2mm size gap	
AD0012706~AD0012730	2.7(Torx)	6~30 2mm size gap	

Note: 2.0 cortical self tapping screw match triangle screw driver,2.5/2.7 cortical self tapping screw match T2.3 screw driver

2.0 Locking Plate Instrument Kit(A005)



No.	Product Code	Description	Specification
1	A005-01	Triangle Screw Driver	
2	A005-02	Locking Screw Tapper	HA2
3	A005-03	Cortical Self Tapping Tapper	HA2
4	A005-04	Drill Bit	Φ1.5mm
5	A005-05	Drill Guide	Φ1.5mm
6	A005-06	Depth Gauge	30mm
7	A005-07	Screw Box	

2.5 Locking Plate Instrument Kit(A006)



No.	Product Code	Description	Specification
1	A006-01	Torx Head Screw Driver	T2.3
2	A006-02	Locking Screw Tapper	HA2.5
3	A006-03	Cortical Self Tapping Tapper	HA2.5
4	A006-04	Drill Bit	Φ2.0mm
5	A006-05	Drill Guide	Φ2.0mm
6	A006-06	Depth Gauge	30mm
7	A006-07	Screw Box	

2.7 Locking Plate Instrument Kit(A007)



No.	Product Code	Description	Specification
1	A007-01	Torx Head Screw Driver	T2.3
2	A007-02	Locking Screw Tapper	HA2.7
3	A007-03	Cortical Self Tapping Tapper	HA2.7
4	A007-04	Drill Bit	Φ2.1mm
5	A007-05	Drill Guide	Φ2.1mm
6	A007-06	Depth Gauge	60mm
7	A007-07	Screw Box	

1.5mm Straight Plate AF0011520



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0011520	1.2/3.8/100	20Holes	Stainless Steel

Note: photo for 20 holes,select Φ1.5mm cortical self tapping screw

1.5mm Straight Plate(Thickening) AF00215030519



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF00215030519	1.5/3.8/150	3+5+19Holes	Stainless Steel

Note: photo for 3+5+19 holes,select Φ1.5mm cortical self tapping screw

2.0mm Straight Compression Plate Type I AF00320



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0032006	1.5/5/33	6Holes	Stainless Steel
AF0032007	1.5/5/38	7Holes	
AF0032008	1.5/5/43	8Holes	
AF0032009	1.5/5/48	9Holes	
AF0032010	1.5/5/53	10Holes	
AF0032012	1.5/5/63	12Holes	

Note: photo for 10 holes,select Φ2.0mm cortical self tapping screw

2.0mm Straight Compression Plate Type II AF00420



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0042004	1.2/5.0/23	4Holes	Stainless Steel
AF0042005	1.2/5.0/28	5Holes	
AF0042006	1.2/5.0/33	6Holes	

Note: photo for 6 holes,select Φ2.0mm cortical self tapping screw

2.0mm Straight Round Hole Plate Type I AF00520



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0052004	1.2/5/26	4Holes	Stainless Steel
AF0052006	1.2/5/38	6Holes	
AF0052008	1.2/5/50	8Holes	
AF0052010	1.2/5/62	10Holes	

Note: photo for 10 holes,select Φ2.0mm cortical self tapping screw

2.0mm Straight Round Hole Plate Type II AF00620



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0062004	1.2/5/31	4Holes	Stainless Steel
AF0062005	1.2/5/36	5Holes	

Note: photo for 5 holes,select Φ2.0mm cortical self tapping screw

2.0mm Straight Round Hole Plate Type III AF00720



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0072004	1.2/5/26	4Holes	Stainless Steel
AF0072005	1.2/5/31	5Holes	

Note: photo for 5 holes,select Φ2.0mm cortical self tapping screw

2.0mm Straight Round Hole Plate Type VI AF00820



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0082006	1.5/5.5/50	6Holes	Stainless Steel
AF0082007	1.5/5.5/60	7Holes	
AF0082008	1.5/5.5/70	8Holes	

Note: photo for 7 holes,select Φ2.0mm cortical self tapping screw

2.0mm Straight Plate AF00920



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0092006	1.5/5/41	6Holes	Stainless Steel
AF0092008	1.5/5/52	8Holes	

Note: photo for 8 holes,select Φ2.0mm cortical self tapping screw

2.0mm Straight Neutral Plate AF01020



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0102006	1.5/5/40	6Holes	Stainless Steel
AF0102008	1.5/5/52	8Holes	
AF0102010	1.5/5/64	10Holes	

Note: photo for 8 holes,select Φ2.0mm cortical self tapping screw

2.0mm Straight Plate(Cuttable) AF01120



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0112050	1.2/5/250	50Holes	Stainless Steel

Note: photo for 50 holes,select Φ2.0mm cortical self tapping screw

2.4mm LC-DCP AF01224



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0122404	2.0/6.5/34	4Holes	Stainless Steel
AF0122405	2.0/6.5/42	5Holes	
AF0122406	2.0/6.5/50	6Holes	
AF0122407	2.0/6.5/58	7Holes	
AF0122408	2.0/6.5/66	8Holes	
AF0122410	2.0/6.5/82	10Holes	

Note: photo for 8 holes,select Φ2.4mm cortical self tapping screw

2.4mm Straight Neutral Plate AF01324



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0132406	2.0/6.5/52.5	6Holes	Stainless Steel
AF0132408	2.0/6.5/65.5	8Holes	

Note: photo for 6 holes,select Φ2.4mm cortical self tapping screw

2.4mm Straight Neutral/Lenghtening Plate AF01424



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0142406	2.0/6.5/59	6Holes	Stainless Steel
AF0142408	2.0/6.5/72	8Holes	

Note: photo for 8 holes,select Φ2.4mm cortical self tapping screw

2.4mm Straight Plate(Cuttable) AF01524



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0152422	1.5/6.5/162.5	22Holes	Stainless Steel

Note: photo for 22 holes,select Φ2.4mm cortical self tapping screw

CZMEDITECH

2.7mm Straight Compression Plate Type I AF01627



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0162704	2.0/8/37	4Holes	Stainless Steel
AF0162705	2.0/8/45	5Holes	
AF0162706	2.0/8/53	6Holes	
AF0162707	2.0/8/61	7Holes	
AF0162708	2.0/8/69	8Holes	
AF0162709	2.0/8/77	9Holes	
AF0162710	2.0/8/85	10Holes	
AF0162712	2.0/8/101	12Holes	

Note: photo for 7 holes,select Φ2.7mm cortical self tapping screw

2.7mm LC-DCP AF01927



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0192704	2.0/8/43	4Holes	Stainless Steel
AF0192705	2.0/8/52	5Holes	
AF0192706	2.0/8/61	6Holes	
AF0192707	2.0/8/70	7Holes	
AF0192708	2.0/8/79	8Holes	
AF0192710	2.0/8/98	10Holes	
AF0192712	2.0/8/117	12Holes	

Note: photo for 10 holes,select Φ2.7mm cortical self tapping screw

2.7mm Round Hole Neutral Plate AF02027



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0202708	2.5/8.0/97	8Holes	Stainless Steel

Note: photo for 8 holes,select Φ2.7mm cortical self tapping screw

3.5mm Straight Compression Plate AF02135



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0213506	3.0/10/77	6Holes	Stainless Steel
AF0213508	3.0/10/101	8Holes	
AF0213510	3.0/10/125	10Holes	
AF0213512	3.0/10/149	12Holes	

Note: photo for 8 holes,select Φ3.5mm cortical self tapping screw

3.5mm Straight Compression Plate(Wide) AF02235



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0223506	3.5/12/88	6Holes	Stainless Steel
AF0223508	3.5/12/116	8Holes	
AF0223510	3.5/12/144	10Holes	
AF0223512	3.5/12/172	12Holes	
AF0223514	3.5/12/200	14Holes	

Note: photo for 8 holes,select Φ3.5mm cortical self tapping screw

1.5mm Straight Reconstruction Plate AF0231520



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0231520	1.3/4/100	20Holes	Stainless Steel

Note: photo for 20 holes,select Φ1.5mm cortical self tapping screw

2.0mm Straight Reconstruction Plate AF0242020



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0242020	1.5/5/100	20Holes	Stainless Steel

Note: photo for 20 holes,select Φ2.0mm cortical self tapping screw

2.4mm Straight Reconstruction Plate AF0252425



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0252425	1.5/6.5/162.5	25Holes	Stainless Steel

Note: photo for 25 holes,select Φ2.4mm cortical self tapping screw

2.7mm Straight Reconstruction Plate AF0262720



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0262720	2.5/8/160	20Holes	Stainless Steel

Note: photo for 20 holes,select Φ2.7mm cortical self tapping screw

3.5mm Straight Reconstruction Plate AF0273520



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0273520	3.0/10/144	12Holes	Stainless Steel

Note: photo for 12 holes,select Φ3.5mm cortical self tapping screw

1.5mm Double T Type Plate AF0281530



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0281530	1.5/4/154	30Holes	Stainless Steel

Note: photo for 30 holes,select Φ1.5mm cortical self tapping screw

1.5mm T Type Plate(3 Holes in Head) AF029150304



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF029150304	1.2/4/29	3+4Holes	Stainless Steel

Note: photo for 3+4 holes,select Φ1.5mm cortical self tapping screw

2.0mm T Type Plate(3 Holes in Head) AF030200308



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF030200308	1.5/5.0/62	3+8Holes	Stainless Steel

Note: photo for 3+8 holes,select Φ2.0mm cortical self tapping screw

2.0mm T Type Plate(2 Holes in Head)-I AF03120



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF031200204	1.2/5.0/38	2+4Holes	Stainless Steel
AF031200208	1.2/5.0/56.5	2+8Holes	

Note: photo for 2+4 holes,select Φ2.0mm cortical self tapping screw

2.0mm T Type Plate(2 Holes in Head)-II AF032200204



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF032200204	1.5/5/42	2+4Holes	Stainless Steel

Note: photo for 2+4 holes,select Φ2.0mm cortical self tapping screw

2.4mm T Type Plate(2 Holes in Head) AF033240208



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF033240208	1.5/6.5/60	2+8Holes	Stainless Steel

Note: photo for 2+8 holes,select Φ2.4mm cortical self tapping screw

2.7mm T Type Plate(2 Holes in Head) AF03427



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF034270204	2.0/8/41	2+4Holes	Stainless Steel
AF034270208	2.0/8/97.5	2+8Holes	

Note: photo for 2+8 holes,select Φ2.7mm cortical self tapping screw

3.5mm T Type Plate(2 Holes in Head) AF035350208



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF035350208	3.0/11/97.5	2+8Holes	Stainless Steel

Note: photo for 2+8 holes,select Φ3.5mm cortical self tapping screw

2.0mm L Type Round Hole Plate AF03620



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF036200204L	1.2/5/21/90°	2+4Holes L	Stainless Steel
AF036200204R		2+4Holes R	

Note: photo for 2+4 holes R,select Φ2.0mm cortical self tapping screw

2.0mm 120° L Type Round Hole Plate AF03720



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF037200204L	1.2/5/24.5/120°	2+4Holes L	Stainless Steel
AF037200204R		2+4Holes R	

Note: photo for 2+4 holes R,select Φ2.0mm cortical self tapping screw

2.0mm L Type Curved Plate AF03820



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF03820L	1.5/10/26	2+4Holes L	Stainless Steel
AF03820R		2+4Holes R	

Note: photo for 2+4 holes R,select Φ2.0mm cortical self tapping screw

2.7mm L Type Curved Plate AF03927



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF03927L	2.0/16.3/40.7	2+4Holes L	Stainless Steel
AF03927R		2+4Holes R	

Note: photo for 2+4 holes R,select Φ2.7mm cortical self tapping screw

3.5mm L Type Curved Plate AF04035



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF04035L	2.5/16.9/63.8	2+4Holes L	Stainless Steel
AF04035R		2+4Holes R	

Note: photo for 2+4 holes R,select Φ3.5mm cortical self tapping screw

2.0mm Distal Femoral Compression Plate AF04120



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF04120L	1.5/5.5/75.5	16Holes L	Stainless Steel
AF04120R		16Holes R	

Note: photo for 16 holes R,select Φ2.0mm cortical self tapping screw

2.0mm Distal Femoral Round Hole Plate AF04220



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0422008L	1.5/5.5/43.7	8Holes L	Stainless Steel
AF0422008R		8Holes R	

Note: photo for 8 holes L,select Φ2.0mm cortical self tapping screw

2.7mm Distal Femoral Plate Type I AF04327



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF04327L	2.5/8/68	3+7Holes L	Stainless Steel
AF04327R		3+7Holes R	

Note: photo for 3+7 holes L,select Φ2.7mm cortical self tapping screw

2.7mm Distal Femoral Plate Type II AF04427



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF04427L	2.5/8/68	4+5Holes L	Stainless Steel
AF04427R		4+5Holes R	

Note: photo for 4+5 holes L,select Φ2.7mm cortical self tapping screw

3.5mm Distal Femoral Plate AF04535



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF04535L	3.0/11/115	3+10Holes L	Stainless Steel
AF04535R		3+10Holes R	

Note: photo for 3+10 holes L,select Φ3.5mm cortical self tapping screw

1.5mm Acetabular Plate AF0461504



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0461504	1.2/4/19.1	4Holes	Stainless Steel

Note: photo for 4 holes,select Φ1.5mm cortical self tapping screw

2.0mm Acetabular Plate AF0472004



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0472004	1.2/5/26.8	4Holes	Stainless Steel

Note: photo for 4 holes,select Φ2.0mm cortical self tapping screw

2.4mm Acetabular Plate AF0482406



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0482406	1.5/5/33.4	6Holes	Stainless Steel

Note: photo for 6 holes,select Φ2.4mm cortical self tapping screw

2.7mm Acetabular Plate AF0492706



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0492706	2.0/7/40	6Holes	Stainless Steel

Note: photo for 6 holes,select Φ2.7mm cortical self tapping screw

3.5mm Acetabular Plate AF0503506



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0503506	2.5/10/48	6Holes	Stainless Steel

Note: photo for 6 holes,select Φ3.5mm cortical self tapping screw

1.5mm X Type Plate(cuttable) AF05115



Product Code	Thickness / Width / Length(mm)	Material
AF0511501	1.2/9/14	Stainless Steel
AF0511502	1.2/11/15	
AF0511503	1.2/9/18.9	

Note: photo for 4 holes,select Φ1.5mm cortical self tapping screw

2.0mm X Type Plate(cuttable) AF05220



Product Code	Thickness / Width / Length(mm)	Material
AF0522001	1.2/10.4/15.8	Stainless Steel
AF0522002	1.2/12.9/17	
AF0522003	1.2/10.6/22.9	

Note: photo for 4 holes,select Φ2.0mm cortical self tapping screw

2.7mm X Type Plate(cuttable) AF05327



Product Code	Thickness / Width / Length(mm)	Material
AF0532701	2.0/13.9/20.9	Stainless Steel
AF0532702	2.0/16.4/24.8	
AF0532703	2.0/13.9/29.8	

Note: photo for 6 holes,select Φ2.7mm cortical self tapping screw

Model for cutting



1.5/2.0mm Fusion Plate AF0541513



Product Code	Thickness / Width / Length(mm)	Specification	Material
AF0541513	1.3/6/80	13Holes	Stainless Steel

Note: photo for 13 holes,select Φ1.5mm/Φ2.0mm cortical self tapping screw

Φ1.5、2.0、2.4、2.7、3.5mm Cortical Self-Tapping Screw(Hex) AG00115、AG00220、AG00324、AG00427、AG00535



Product Code	Diameter(mm)	Length(mm)	Material
AG0011506~AG0011522	HA1.5	6~22 Every 2mm is a specification	Stainless Steel
AG0022006~AG0022022	HA2.0	6~22 Every 2mm is a specification	
AG0032406~AG0032426	HA2.4	6~26 Every 2mm is a specification	
AG0042706~AG0042730	HA2.7	8~30 Every 2mm is a specification	
AG0053506~AG0053536	HA3.5	6~36 Every 2mm is a specification	


Note: HA1.5、HA2.0、HA2.4 select SW1.5 Hex screw driver, HA2.7、HA3.5 select SW2.5 Hex screw driver

Screw Sterilization Box1.5/2.0/2.7 (A008)




Product Code	No.	Description	Specification	Quantities
A008-01	1	1.5 Self-Tapping Screw(Hex)	1.5x6/8/10/12/14/16/18/20mm	5pcs for each size
A008-02	2	2.0 Self-Tapping Screw(Hex)	2.0x8/10/12/14/16/18/20/22/24/26/28mm	6pcs for each size
A008-03	3	2.7 Self-Tapping Screw(Hex)	2.7x10/12/14/16/18/20/22/24/26/28/30mm	6pcs for each size


Screw Sterilization Box1.5/2.0/2.4/2.7/3.5 (A009)



Product Code	No.	Description	Specification	Quantities
A009-01	1	1.5 Self-Tapping Screw(Hex)	1.5x6/8/10/12/14/16/18/20mm	5pcs for each size
A009-02	2	2.0 Self-Tapping Screw(Hex)	2.0x8/10/12/14/16/18/20/22/24/26/28mm	5pcs for each size
A009-03	3	2.4 Self-Tapping Screw(Hex)	2.4x8/10/12/14/16/18/20/22/24/26/28/30mm	5pcs for each size
A009-04	4	2.7 Self-Tapping Screw(Hex)	2.7x10/12/14/16/18/20/22/24/26/28/30mm	5pcs for each size
A009-05	5	3.5 Self-Tapping Screw(Hex)	3.5x8/10/12/14/16/18/20/22/24/26/28/30mm	5pcs for each size

Veterinary Plate Set (A010)









No.	Produce Code	Description	Specification
1	AF0262720	3.5mm Straight Reconstruction Plate	12 holes
2	AF0262720	2.7mm Straight Reconstruction Plate	20 holes
3	AF0252425	2.4mm Straight Reconstruction Plate	25 holes
4	AF0242020	2.0mm Straight Reconstruction Plate	20 holes
5	AF0231520	1.5mm Straight Reconstruction Plate	20 holes
6	AF0032010	2.0mm Straight Compressoin Plate Type-I	10 holes
7	AF0032008		8 holes
8	AF0122408	2.4mm LC-DCP	8 holes
9	AF00122410		10 holes
10	AF0162710	2.7mm Straight Compressoin Plate Type-I	10 holes
11	AF0162712		12 holes
12	AF0461504	1.5mm Acetabular Plate	4 holes
13	AF0472004	2.0mm Acetabular Plate	4 holes
14	AF0482406	2.4mm Acetabular Plate	6 holes
15	AF0492706	2.7mm Acetabular Plate	6 holes
16	AF0503506	3.5mm Acetabular Plate	6 holes
17	AF02915030	1.5mm T Type Plate	3+4 holes
18	AF032200204	2.0mm T Type Plate-II	2+4 holes
19	AF033240208	2.4mmT Type Plate	2+8 holes
20	AF0142408	2.4mm Straight Neatral Plate	8 holes
21	AF0102008	2.0mm Straight Neatral Plate	8 holes
22	AF0202708	2.7mm Round Hole Neatral Plate	8 holes
23	AF04120L	2.0mm Distal Femoral Compression Plate	16 holes L
24	AF04120R		16 holes R

No.	Produce Code	Description	Specification
25	A010-25	2.4mm Distal Femoral Compression Plate	12 holes L
26	A010-26		12 holes R
27	AF04327L	2.7mm Distal Femoral Compression Plate	3+7 holes L
28	AF04327R		3+7 holes R
29	AF04535L	3.5mm Distal Femoral Compression Plate	3+10 holes L
30	AF04535R		3+10 holes R
31	A010-31	2.0mm DCP	9 holes
32	A010-32		8 holes
33	A010-33	2.4mm DCP	12 holes
34	A010-34		14 holes
35	A010-35	2.7mm DCP	9 holes
36	A010-36		8 holes
37	A010-37	3.5mm DCP	12 holes
38	A010-38		14 holes
39	A010-39	1.5mm Cuttable Plate	27 holes
40	A010-40	1.5 Double T Type Plate	30 holes
41	A010-41	2.0mm Cuttable Plate	50 holes
42	A010-42	2.4mm Cuttable Plate	22 holes
43	A010-43	2.0mm Neutral Plate	6 holes
44	A010-44		7 holes
45	A010-45	2.4mm Neutral Plate	6 holes
46	A010-46	2.7mm T Type Plate	2+8 holes
47	A010-47	3.5mm T Type Plate	2+8 holes
48	A010-48	Bone Plate Box	








Sterilization box A011


Product Code	Specification
A011	275×165×50mm


Sterilization box A012


Product Code	Specification
A012	300×180×105mm


Veterinary Orthopedic Instrument 1.5/2.0/2.4/2.7/3.5mm (A013)











No.	Produce Code	Description	Specification
1	A013-01	Reduction Forceps with point-Medium	160mm
2	A013-02	Reduction Forceps with point-Small	135mm
3	A013-03	Self-centering bone holding Forcep	X-Small
4	A013-04	Reduction Forcep	180mm
5	A013-05	Self-centering bone holding Forcep	Small
6	A013-06	Wire Cutter	2.5mm
7	A013-07	End Cutting Forcep	2.5mm
8	A013-08	Wire Guider	Φ20mm
9	A013-09	K wire punch	1.5-2.5mm
10	A013-10	K Wire Bender	
11	A013-11	Ruskin Ranger	2mm
12	A013-12	Bone Rasp	
13	A013-13	Double End Periosteal Elevator	5mm
14	A013-14	Mini Hohman Retractor	6mm
15	A013-15	Mini Hohman Retractor	8mm
16	A013-16	Mini Hohman Retractor	12mm
17	A013-17	Screw Holder	Small
18	A013-18	AO Plates Bender	1.5/2.0/2.4mm
19	A013-19	AO Plates Bender	2.7/3.5mm
20	A013-20	Depth Gauge	0-30mm
21	A013-21	Depth Gauge	0-40mm
22	A013-22	Screw Driver	SW1.5
23	A013-23	Screw Driver	SW2.5
24	A013-24	AO Quick Coupling T Type Handle	
25	A013-25	AO Quick Coupling Countersink	Φ4mm
26	A013-26	AO Quick Coupling Countersink	Φ6mm
27	A013-27	AO Quick Coupling Screw Tap	1.5mm
28	A013-28	AO Quick Coupling Screw Tap	2.0mm
29	A013-29	AO Quick Coupling Screw Tap	2.4mm
30	A013-30	AO Quick Coupling Screw Tap	2.7mm
31	A013-31	AO Quick Coupling Screw Tap	3.5mm
32	A013-32	Double Drill Guider	1.1/1.5mm
33	A013-33	Double Drill Guider	1.5/2.0mm
34	A013-34	Double Drill Guider	1.8/2.4mm
35	A013-35	Double Drill Guider	2.0/2.7mm
36	A013-36	Double Drill Guider	2.5/3.5mm
37	A013-37	Drill Sleeve	1.5 mm
38	A013-38	Drill Sleeve	1.8mm
39	A013-39	Drill Sleeve	2.0mm
40	A013-40	Drill Sleeve	2.5mm
41	A013-41	Bone Plate Model	4pc
42	A013-42	Skin Retractor	
43	A013-43	Self Retaining Retractor	140mm
44	A013-44	Drill Bit	1.1mm
45	A013-45	Drill Bit	1.5mm
46	A013-46	Drill Bit	1.8mm
47	A013-47	Drill Bit	2.0mm
48	A013-48	Drill Bit	2.5mm
49	A013-49	Drill Bit	2.7mm


CZMEDITECH

Suture-Wire AH001



Product Code	Diameter(mm)	Material
AH00104	0.4	Stainless Steel
AH00106	0.6	
AH00108	0.8	
AH00110	1.0	
AH00112	1.2	

Kirschner Wire(single/double Head) AH002



Product Code	Diameter(mm)	Length	Material
AH00208	0.8	250	Stainless Steel
AH00210	1.0	250	
AH00212	1.2	250	
AH00215	1.5	250	
AH00220	2.0	250	
AH00225	2.5	250	
AH00230	3.0	250	
AH00235	3.5	250	
AH00240	4.0	250	
AH00245	4.5	250	

K Wire Racks AH003



Product Code	Specification(mm)	Description
AH003	330x140x50mm	used for 0.8/1.0/1.2/1.5/2.0/2.5/3.0/3.5/4.0 /4.5K Wire

Temporary Fixation Wire For Bone Plate AH004



Product Code	Diameter(mm)	Length	Material
AH00401	1.2	85	Stainless Steel
AH00402	1.5	150	

Note: 1.2mm used for 1.5/2.0/2.4mm bone plate 1.5mm used for 2.7/3.5mm bone plate

Drill Bit AZ001



Product Code	Diameter(mm)	Length(mm)	Material
AZ00108	0.8	60	Stainless Steel
AZ00111	1.1	85	
AZ00112	1.2	115	
AZ00115	1.5	115	
AZ00118	1.8	115	
AZ00120	2.0	115	
AZ00125	2.5	115	
AZ00127	2.7	115	
AZ00132	3.2	150	

AO Quick Coupling Drill Bit AZ002



Product Code	Diameter(mm)	Length(mm)	Material
AZ00208	0.8	60	Stainless Steel
AZ00211	1.1	85	
AZ00215	1.5	100	
AZ00218	1.8	125	
AZ00220	2.0	125	
AZ00225	2.5	150	
AZ00227	2.7	150	
AZ00232	3.2	150	

Elastic Nail AZ003



Product Code	Diameter(mm)	Length(mm)	Material
AZ00312	1.2	250	Titanium Alloy
AZ00315	1.5	250	
AZ00318	1.8	250	
AZ00320	2.0	250	
AZ00325	2.5	250	
AZ00330	3.0	250	


End Cap AZ004




Product Code	Specification	Description	Material
AZ004-01	small	used for 1.2/1.5/1.8/2.0mm Elastic Nail	Titanium Alloy
AZ004-02	big	used for 2.5/3.0mm Elastic Nail	

CZMEDITECH

Veterinary Elastic Nail Instrument AO014









No.	Product Code	Item	Specification
1	AO014-01	AO elastic nail	1.2×250mm
2	AO014-02	AO elastic nail	1.5×250mm
3	AO014-03	AO elastic nail	1.8×250mm
4	AO014-04	AO elastic nail	2.0×250mm
5	AO014-05	AO elastic nail	2.5×250mm
6	AO014-06	AO elastic nail	3.0×250mm
7	AO014-07	K wire bender	
8	AO014-08	K wire impactor	
9	AO014-09	AWL	
10	AO014-10	cannulated hand drill	T-handle
11	AO014-11	sliding hammer	
12	AO014-12	wire cutter	Max 3.0mm,230mm
13	AO014-13	pin forcep	
14	AO014-14	sliding hammer guide rod	
15	AO014-15	sterilization box	

Veterinary Trochlea Rectangular Sulcoplasty Instruments Set A015





No.	Product Code	Description	Specification
1	A015-01	bone saw 0.4mm	140mm
2	A015-02	small trochlea rasp	Φ3.5mm
3	A015-03	mini trochlea rasp	Φ2.2mm
4	A015-04	bone chisel	3mm
5	A015-05	bone chisel	4mm
6	A015-06	bone chisel	5mm
7	A015-07	bone chisel	6mm
8	A015-08	bone chisel	8mm
9	A015-09	bone chisel	10mm
10	A015-10	bone chisel	15mm
11	A015-11	double head bone rasp	
12	A015-12	bone hammer	270g
13	A015-13	sterilization box	



Aiming Reduction Forceps

Product Code	Specification
BA0010130	Small, Max 30mm,Length144mm Small aiming device 1.1/1.5/1.8mm drill sleeve
BA0010260	Large, Max 60mm,Length178mm Large aiming device 1.8/2.0/2.5mm drill sleeve



Multi-Functional Bone Holding Forceps

Product Code	Specification
BA0020120	Max 20mm,Length 139mm



Plate Holding Forceps

Product Code	Specification
BA0030134	Max 34mm,Length 162mm



Reduction Forceps with point

Product Code	Specification
BA004140	Small,Max 30mm,Length 140mm
BA004176	Large,Max 62mm,Length 176mm



Reduction Forcep with limit

Product Code	Specification
BA0050164	Max 64mm,Length 175mm



AO Self Locking Reduction Forcep

Product Code	Specification
BA006150	Length 150mm



AO Self Locking Reduction Forcep With Point

Product Code	Specification
BA007150	Length 150mm



Reduction Forcep With Twin Point

Product Code	Specification
BA008180	Length 180mm



Reduction Forceps With Point

Product Code	Specification
BA009135	Small Length 135mm
BA009160	Medium Length 160mm



AO Reduction Forceps With Jaws

Product Code	Specification
BA010140	Length 140mm



Reduction Forcep With Jaws

Product Code	Specification
BA011150	Length 150mm



Reduction Forcep

Product Code	Specification
BA012180	Length 180mm



BW Reduction Forcep

Product Code	Specification
BA013150	Length 150mm



BW Bone Holding Forcep

Product Code	Specification
BA014150	Length 150mm



MINI Bone Holding Forcep

Product Code	Specification
BA0150314	Holding 3mm,Length140mm
BA0150514	Holding 5mm,Length140mm
BA0150714	Holding 7mm,Length140mm



Self-Centering Bone Holding Forcep

Product Code	Specification
BA0160115	Mini Length 150mm
BA0160218	Small Length 180mm



KERN Bone Holding Forcep

Product Code	Specification
BA0170114	Mini Length 140mm
BA0171218	Small Length 180mm



Lowman Bone Clamp Veterinary Pattern Cat Size-Small

Product Code	Specification
BA0180108	Small<15mm Length 180mm
BA0180212	Big<30mm Length 120mm



Plate Holding Forceps

Product Code	Specification
BA019160	Length 160mm



Pin Cutting Forcep

Product Code	Specification
BA020205	Max 2.5mm,Length 205mm



Wire Cutter

Product Code	Specification
BA0216053	Max 6mm,Length 530mm



Wire Cutter

Product Code	Specification
BA0224037	Max 4mm,Length 370mm



Front End Cutting Forcep

Product Code	Specification
BA0232523	Max 2.5mm,Length 235mm



Wire Plier And Cutter

Product Code	Specification
BA024165	Length 165mm



Wire Cutter

Product Code	Specification
BA0252521	Max 2.5mm,Length 210mm



Wire Pliers(Flat)

Product Code	Specification
BA026220	Length 220mm



Wire Pliers(Sharp)

Product Code	Specification
BA027200	Length 200mm



Wire/small pin Cutter

Product Code	Specification
BA028150	Max 1.8mm,Length 180mm



Wire/small pin Cutter

Product Code	Specification
BA0291214	Max 1.2mm, Length140mm



Plate/pin Cutting Plier TC Gold

Product Code	Specification
BA0302823	Max 2.8mm,Length 230mm



Plate/pin Cutting Plier TC Gold

Product Code	Specification
BA0312217	Max 2.2mm,Length 170mm
BA0312823	Max 2.8mm,Length 230mm



Front End Wire Cutting Plier TC Gold

Product Code	Specification
BA0322823	Max2.8mm,Length 230mm



Jacobs Chuck(Straight)

Product Code	Specification
BA03301	Straight Handle 0-4mm



Jacobs Chuck(T handle)

Product Code	Specification
BA03302	T-handle 0-6mm



Wire Guider

Product Code	Specification
BA03405	small,Dia 13.8mm,Hole Dia.0.5mm
BA03408	medium,Dia 20mm,Hole Dia.0.8mm
BA03412	large,Dia 30mm,Hole Dia.1.2mm



Wire Tightener

Product Code	Specification
BA035260	Length 260mm



Wire Twister/Cutter

Product Code	Specification
BA036150	Length 150mm



Kirschner Wire Punch

Product Code	Specification
BA03701	For 0.6-1.6mm,Length 135mm
BA03702	For1.5-2.5mm,Length135mm



K Wire Bender

Product Code	Specification
BA038140	For 0.6-2.5mm,Length140mm



Bone Curette

Product Code	Specification
BA03902	2mm
BA03903	3mm
BA03904	4mm



Bone Hammer

Product Code	Specification
BA0400105	50g
BA0400214	140g
BA0400327	270g
BA0400435	350g



BW 1.1/1.5/2.0 Reconstruction Plates Bender

Product Code	Specification
BA04101	Length 140mm



2.4/2.7 Reconstruction Plates Bender

Product Code	Specification
BA04201140	Length 140mm



BW 3.5 Reconstruction Plates Bender

Product Code	Specification
BA04302	Length 140mm



Plates Bender

Product Code	Specification
BA04402175	AO 2.7/3.5, Length 175mm



3.5 mm Reconstruction Plate Pliers

Product Code	Specification
BA04501	Length 280mm



AO Reconstruction Plate Plier

Product Code
BA04601

Specification
Used for 4-9mm width reconstructio plates,including ALPS and MCP,in plane and out of plane bending



Veterinary Plate Model

Product Code	Specification
BA04701	width 4.8mm,apply to 1.5/2.0mmLC-DCP&LCP
BA04702	width 6mm,apply to 2.4mmLC-DCP&LCP
BA04703	width 8mm,apply to 2.7mmLC-DCP&LCP
BA04704	width 10mm,apply to 3.5mmLC-DCP&LCP
BA04705	width 12mm,apply to 3.5mmLC-DCP&LCP



Ruskin Ronger

Product Code	Specification
BA0480102	curved 2mm,length160mm
BA0480203	curved 3mm,length160mm



Horsley Bone Cutter

Product Code	Specification
BA0490135	Curved Straight,Length 150mm



Cottle Bone Cutter

Product Code	Specification
BA0500125	Straight 25mm,Length 190mm



Bone cutter

Product Code	Specification
BA0510105	Length 150mm



Double Head Periosteal Elevator

Product Code	Specification
BA0520103	3mm
BA0520105	5mm



AO Type Periosteal Elevator

Product Code	Specification
BA0530106	Flat 6mm,Length 180mm
BA0530210	Curve 10mm,Length 180mm



Bone Chisel

Product Code	Specification
BA05401	3mm
BA05402	4mm
BA05403	5mm
BA05404	6mm
BA05405	8mm
BA05406	10mm
BA05407	12mm
BA05408	15mm



Bone Rasp

Product Code	Specification
BA05501	curve 5mm width
BA05502	Straight 5mm width



Bone Saw

Product Code	Specification
BA05601	0.4mm cut,length 140mm



Trochlea Rasp

Product Code	Specification
BA05701	mini Dia2.2mm
BA05702	small Dia3.5mm



Double Head Bone Rasp

Product Code
BA05801



Mini Hoffman Retractor

Product Code	Specification
BA0590106	6mm wide,Length 165mm
BA0590208	8mm wide,Length 165mm
BA0590312	14mm wide,Length 165mm



Femoral Bone Retractor

Product Code	Specification
BA06001	small 125mm×8mm ×12mm
BA06002	medium 175mm×13mm×18mm
BA06003	large 255mm×25mm×36mm



Skin Hook

Product Code
BA06101



Double Head Hook

Product Code	Specification
BA06201	Sharp Teech
BA06202	Blunt Teeth



Gelpi self Retaining Retractor

Product Code	Specification
BA06301	Length 100mm
BA06302	Length 140mm
BA06303	Length 160mm



Gelpi self Retaining Retractor

Product Code	Specification
BA06401	Length 140mm
BA06402	Length 160mm



Self-Retaining Retractor

Product Code	Specification
BA06501140	Length 140mm
BA06502160	Length 160mm



Self-Retaining Retractor(point)

Product Code	Specification
BA06601140	Length 140mm
BA06602160	Length 160mm



Srthopedic measuring Ruler

Product Code	Specification
BA06701	measuring length:150mm measuring screw length:0-60mm measuring diameter:0.8/1.0/1.2/1.5/ 2.0/2.4/2.5/2.7/3.0/3.2/3.5/4.0/4.5/5.0/5.5



Joint Motion Fixator

Product Code 6100-0101

Matching bone screws Φ2.0×70mm 4 Pcs

Matching instruments
3.0mmL Type hex Wrench 2.0mm Screw Driver



Straight Fixator

Product Code 6100-0102

Matching bone screws Φ2.0×70mm 4 Pcs

Matching instruments
3.0mmL Type hex Wrench 2.0mm Screw Driver



Universal Compression Extension Fixator

Product Code 6100-0103

Matching bone screws Φ2.5×50mm 4 pcs

Matching instruments
3.0mmL Type hex Wrench 2.0mm Screw Driver



Universal Fixator

Product Code 6100-0104

Matching bone screws Φ2.0×50mm 4 pcs

Matching instruments
3.0mmL Type hex Wrench 2.0mm Screw Driver



Combined Fixator

Product Code 6100-0105

Matching bone screws Φ2.0×70mm 4 pcs

Matching instruments
3.0mmL Type hex Wrench 2.0mm Screw Driver



Straight Track Fixator

Product Code 6100-0106

Matching bone screws Φ2.0×70mm 4 pcs

Matching instruments
3.0mmL Type hex Wrench 2.0mm Screw Driver



Horizontal Axis Fixator

Product Code 6100-0107

Matching bone screws Φ2.0×70mm 4 pcs

Matching instruments
3.0mmL Type hex Wrench 2.0mm Screw Driver



Track Vertical Axis Fixator

Product Code 6100-0108

Matching bone screws Φ2.0×70mm 4 pcs

Matching instruments
3.0mmL Type hex Wrench 2.0mm Screw Driver

Pin to Rod Coupling CB01



Product Code	Specification	Material
6100-0109	Φ3/2	Aluminum Alloy

Note: can be combined as required

Rod to Rod Coupling CB02



Product Code	Specification	Material
6100-0110	Φ3/3	Aluminum Alloy

Note: can be combined as required

Rod to Rod Coupling CB03



Product Code	Specification	Material
6100-0111	Φ6/6	Stainless Steel

Note: can be combined as required

Pin to Rod Coupling CB04



Product Code	Specification	Material
6100-0112	Φ2.5-3/6	Stainless Steel

Note: can be combined as required

Schanz Screw SS/Ti



Product Code	D x L(mm)	HA	Diameter(mm)	Length(mm)	Material
6100-0127	Φ2.0×50	HA	Φ2.0	16	Stainless Steel Titanium Alloy
6100-0128	Φ2.0×60			16	
6100-0129	Φ2.0×70			16	
6100-0130	Φ2.5×60	HA	Φ2.5	16	
6100-0131	Φ2.5×70			20	
6100-0132	Φ2.5×80			20	
6100-0133	Φ2.5×90			25	
6100-0134	Φ2.5×100			30	
6100-0135	Φ3.0×60	HA	Φ3.0	20	
6100-0136	Φ3.0×70			20	
6100-0137	Φ3.0×80			25	
6100-0138	Φ3.0×90			25	
6100-0139	Φ3.0×100			30	
6100-0140	Φ3.0×110			35	
6100-0141	Φ3.0×120			35	
6100-0142	Φ3.5×60	HA	Φ3.5	20	
6100-0143	Φ3.5×70			20	
6100-0144	Φ3.5×80			25	
6100-0145	Φ3.5×90			25	
6100-0146	Φ3.5×100			30	
6100-0147	Φ3.5×110			35	
6100-0148	Φ3.5×120			40	

Connecting Rod CD001



Product Code	Diameter(mm)	Length(mm)	Material
6100-0113	3.0	60	Aluminum Alloy
6100-0114	3.0	80	
6100-0115	3.0	100	
6100-0116	6.0	100	
6100-0117	6.0	150	
6100-0118	6.0	200	
6100-0119	6.0	250	
6100-0120	3.0	60	Carbon Fibre
6100-0121	3.0	80	
6100-0122	3.0	100	
6100-0123	6.0	100	
6100-0124	6.0	150	
6100-0125	6.0	200	
6100-0126	6.0	250	

Multi-functional Power Tools



No.	Product Code	Description	Parameter
1	DA001	Single trigger modular handpiece×1	
2	DB001	Oscillating saw adaptor×1	
3	DB002	AO quick coupling adaptor×1	
4	DB003	Drill bit adaptor×1	
5	DB004	Neuro burs adaptor×1	short
6	DB005	Neuro burs adaptor×1	long
7	DB006	K-wire adaptor×1	0.6–2.0mm
8	DB007	TPLO saw adaptor×1	
9	DC001	Battery compartment×1	
10	DC002	Battery×1	
11	DC003	Aseptic transfer kit×1	
12	DC004	Charge×1	
13	DD001	Sterilization box×1	



Cannulated Bone Drill M-06

Quick Coupling Chuck
Maxmium speed: 1200 rpm
Sterilizable, Positive and negative rotation
Maxmium cannulated diamter: 4.5mm
Gripping drill bit 0.6-8mm diameter
Battery voltage: 14.4V
Charger voltage: 110V/220V



Oscillating Saw M-07

Reciprocating Frequency: 14000 Times/min, 5 degree
Battery voltage: 14.4V
Charger voltage: 110V/220V
Sterilizable
Blade size: 1.0*24*90mm,1.0*24*110mm, 1.2*24*90mm, 1.2*24*110mm, 1.2*20*120mm



Small Bone Drill M-11

Maximum speed: 1200rpm
Sterilizable, Positive and negative rotation
Gripping drilling bit :0.4-4mmdiameter
Battery voltage: 7.2V
Charger voltage: 110V/220V




Small Oscillating Saw M-12

Oscillating frequency: 14000 Times/min, 5 degree
Battery voltage: 7.2V
Charger voltage: 110V/220V
Saw Blades: 0.6*5*70mm*1,0.6*8*70mm* 2, 0.6*12*70mm* 2
Sterilizable



Small Cannulated Bone Drill M-20

Maximum speed: 1200rpm
Sterilizable, Positive & negative rotation
Gripping drilling bit: 0.4-4mm diameter
Maximum cannulated diameter: 3.2mm
Battery voltage: 7.2V
Charger voltage: 110V/220V



Sterilization Box M-21

Mini Multi-functional Drill M-16

1. Hand Piece Voltage 80W
2. Drill Chuck Maximum speed: 1100rpm, stepless speed regulation, rotating in positive and negative direction for selection, stable operation
3. Oscillating Saw Chuck, Reciprocating Frequency: 16000 Times/min;
4.AO Chuck Connect all AO quick coupling drill bit, Maximum speed: 1100rpm
5. K-wire Chuck Maximum speed: 1100rpm



TPLO Saw M-17




No.	Product Code	Description	Parameter
1	DA004	TPLO Saw handpiece×1	0-16000cpm
2	DA002	Hexagon Spanner×1	
3	DC001	Battery×2	
4	DC003	Sterilizing Channel×2	
5	DC004	Charger×1	
6	DC005	Aluminum Box×1	
7	DE001	Curved Saw Blade×2	
8	DF001	Sterilization Box×1	

Curved Saw Blade




No.	Product Code	Specification
1	M-17-1	R:10mm，24mm×0.6mm
2	M-17-2	R:12mm，30mm×0.6mm
3	M-17-3	R:15mm，30mm×0.6mm
4	M-17-4	R:18mm，35mm×0.6mm
5	M-17-5	R:20mm，35mm×0.6mm
6	M-17-6	R:24mm，42mm×0.6mm
7	M-17-7	R:27mm，50mm×0.6mm
8	M-17-8	R:30mm，50mm×0.6mm



Sterilization Box

Product Code	Specification
DC006	250×220×80mm



Sterilization Box for TPLO Saw

Produce Code	Specification
DC007	300×245×80mm



Mayo Safety Pin

Product Code	Specification
EA001	140mm



Halsted-mosquito

Product Code	Specification
EB00101	125mm Straight
EB00102	125mm Curved



Crile Artery Forceps

Product Code	Specification
EB00201	140mm Straight
EB00202	140mm Curved
EB00203	160mm Straight
EB00204	160mm Curved




Allis Tissue Forceps

Product Code	Specification
EB00301	125mm/4×5 teeth
EB00302	150mm/4×5 teeth



Dressing Blunt

Product Code	Specification
EC00101	145mm Straight
EC00102	145mm Curved
EC00103	165mm Straight
EC00104	165mm Curved



Dressing Sharp

Product Code	Specification
EC00201	115mm Straight
EC00202	115mm Curved
EC00203	145mm Straight
EC00204	145mm Curved
EC00205	165mm Straight
EC00206	165mm Curved



Thread Cutter

Product Code	Specification
EC003	/



Pin Holder With Cutter

Product Code	Specification
EC00401	140mm
EC00402	160mm



Dissecting Forceps

Product Code	Specification
ED001	150mm



Adson Dissecting Forceps

Product Code	Specification
ED002	with Jaw



Adson Dissecting Forceps

Product Code	Specification
ED003	with hook



Adson Dissecting Forceps

Product Code	Specification
ED004	Brown



Standard Scalpel Handles

Product Code	Specification
ED00501	#3
ED00502	#4



Backhuas Towel Forces

Product Code	Specification
EE00101	100mm
EE00102	125mm



Backhuas Towel Forces

Product Code	Specification
EE002	90mm



Spay Ligation Fixture Clamp

Product Code	Specification
EE00301	140mm
EE00302	160mm




Canine/Felines Snook Hook

Product Code	Specification
EF00101	150mm felines
EF00102	180mm canines



Tongue Forceps

Product Code	Specification
EG001	170mm



Balfour Abdominal Retractor

Product Code	Specification
EH001	Max 180mm

Notes

can be used as the rib retractor, open abdominal surgery hook



Tail Cutter

Product Code	Specification
EI001	Length 140mm



Mouth Opener

Product Code	Specification
EJ001	100mm，range 0-25mm

Veterinary Soft Tissue Surgical Orthopedic Instrument Set E001





No.	Product Code	Item	Specification
1	E001-01	Mayo safety pin×1	
2	E001-02	Crile Artery Forceps(Straight)×3	160mm
3	E001-03	Crile Artery Forceps(Curved)×3	160mm
4	E001-04	Allis Tissue Forceps×2	
5	E001-05	Backhuas Towel Forces×4	125mm
6	E001-06	Dressing Blunt×1	
7	E001-07	Metzenbaum surper Dressing Blunt (Straight)×1	140mm
8	E001-08	Metzenbaum surper Dressing Blunt (Curved)×1	140mm
9	E001-09	Pin Holder With Cutter×1	160mm
10	E001-10	Adson Dissecting Forceps(with Jaw)×1	
11	E001-11	Adson Dissecting Forceps(with hook)×1	
12	E001-12	Standard scalpel handles×1	#3/4
13	E001-13	Sterilization case(selective)	

Spay Pack Veterinary Instrument Set E002





No.	Product Code	Item	Specification
1	E002-01	Mayo safety pin×1	
2	E002-02	Mayo Dressing Blunt×1	150mm
3	E002-03	Dressing Blunt(Curved)×1	160mm
4	E002-04	Crile Artery Forceps(Curved)×2	140mm
5	E002-05	Crile Artery Forceps(Straight)×2	160mm
6	E002-06	Crile Artery Forceps(Straight)×2	125mm
7	E002-07	Halsted-mosquito(Curved)×2	125mm
8	E002-08	Backhuas Towel Forces×4	90mm
9	E002-09	Allis Tissue Forceps×2	140mm
10	E002-10	Dissecting Forceps×1	
11	E002-11	Pin Holder With Cutter×1	160mm
12	E002-12	Adson Dissecting Forceps×1	
13	E002-13	Standard Scalpel Handles×1	#3/4
14	E002-14	Sterilization box	



Sickle Scaler

Product Code	Specification
FA001-01	Length 170mm



Very Fine Periosteal Elevator

Product Code	Specification
FA001-02	Length 170mm,2/4mm



Subgingival Curette

Product Code	Specification
FA001-03	Length 170mm



Jaquette Supragingival Scaler

Product Code	Specification
FA001-04	Length 170mm



Sickle Scaler

Product Code	Specification
FA001-05	Length 170mm



Tartar Removing Forceps

Product Code	Specification
FA001-06	Length 125mm



Extraction Forceps

Product Code	Specification
FA001-07	Length 125mm



Fragment Extraction Forceps

Product Code	Specification
FA001-08	Length 140mm



Periosteal Elevator

Product Code	Specification
FA001-09	Length 150mm



Straight Root Tip Pick

Product Code	Specification
FA001-10	Length 150mm



Winged Elevator


Product Code	Specification
FA001-11	Head width 1mm,Length 150mm
FA001-12	Head width 2mm,Length 150mm
FA001-13	Head width 3mm,Length 150mm
FA001-14	Head width 4mm,Length 150mm




Minnesota Retractor

Product Code	Specification
FA001-15	155mm

Dental Instrument Kit FA001





No.	Product Code	Description	Specification
1	FA001-01	Sickle Scaler	170mm
2	FA001-02	Very Fine Periosteal Elevator(sharp)	170mm，2/4mm
3	FA001-03	Subgingival Curette	170mm
4	FA001-04	Jaquette Supragingival Scaler (with measure)	170mm
5	FA001-05	Sickle Scaler	170mm
6	FA001-06	Tartar Removing Forceps	125mm
7	FA001-07	Extraction Forceps	125mm
8	FA001-08	Fragment Extraction Forceps	140mm
9	FA001-09	Periosteal Elevator	150mm
10	FA001-10	Straight Root Tip Pick	150mm
11	FA001-11	Winged Elevator	1mm,150mm
12	FA001-12	Winged Elevator	2mm,150mm
13	FA001-13	Winged Elevator	3mm,150mm
14	FA001-14	Winged Elevator	4mm,150mm
15	FA001-15	Minnesota Retractor	155mm